

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|------------------|
| L1 | 3244 | (generat\$4 or creat\$4)and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D) and(captur\$3 or obtain\$3)and(dual or two or twine)adj image\$1 and(plurality or plural\$1 or multiple or many or sets)same illuminat\$3 and(light adj source or single) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/10 08:44 |
| L2 | 44 | L1 and comput\$3 adj(pair or plurality or plural\$1 or multiple)and(pixel\$1 and pixels)and image\$1 and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/10 08:59 |
| L4 | 2 | L2 and(dual or two or twine)adj different adj image\$1 and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D)and(pixel\$1 or values) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/10 08:37 |
| L5 | 2 | L4 and(@ad<"20020920" or @rlad<"20020920" or @prad<"20020920" or @ptad<"20020920") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/10 08:51 |
| L6 | 2 | L4 and @ad<"20020920" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/10 08:38 |
| L7 | 2863 | 382/152,154,252,270,274.ccls. | USPAT | OR | ON | 2007/12/10 08:42 |
| L8 | 4554 | 345/419,605,611,473,952,426,428.ccls. | USPAT | OR | ON | 2007/12/10 08:42 |
| L9 | 894 | 396/60,257,213,89.ccls. | USPAT | OR | ON | 2007/12/10 08:43 |
| L10 | 605 | 358/3.24,462.ccls. | USPAT | OR | ON | 2007/12/10 08:43 |
| L11 | 2322 | 324/309.ccls. | USPAT | OR | ON | 2007/12/10 08:44 |
| L12 | 1254 | 355/40.ccls. | USPAT | OR | ON | 2007/12/10 08:44 |
| L13 | 137 | 367/50.ccls. | USPAT | OR | ON | 2007/12/10 08:44 |

EAST Search History

| | | | | | | |
|-----|----|--|-------|----|----|------------------|
| L14 | 79 | L7 and(generat\$4 or creat\$4)and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D) and(captur\$3 or obtain\$3)and(dual or two or twine)adj image\$1 and(plurality or plural\$1 or multiple or many or sets)same illuminat\$3 and(light adj source or single) | USPAT | OR | ON | 2007/12/10 08:51 |
| L15 | 0 | L14 and captur\$4 near2(plurality or plural\$1)and image\$1 and different adj illuminat\$3 and(depth or height) | USPAT | OR | ON | 2007/12/10 08:46 |
| L16 | 79 | L14 and(captur\$3 or obtain\$3)and(dual or two or twine)adj image\$1 and(plurality or plural\$1 or multiple or many or sets)same illuminat\$3 and(light adj source or single) | USPAT | OR | ON | 2007/12/10 08:51 |
| L17 | 3 | L16 and comput\$3 adj(pair or plurality or plural\$1 or multiple)and(pixel\$1 and pixels)and image\$1 and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D) | USPAT | OR | ON | 2007/12/10 08:52 |
| L18 | 3 | L17 and different adj image\$1 and(dual or two or twine)and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D)and(pixel\$1 or values) | USPAT | OR | ON | 2007/12/10 08:52 |
| L19 | 2 | L18 and(@ad<"20020920" or @rlad<"20020920" or @prad<"20020920" or @ptad<"20020920") | USPAT | OR | ON | 2007/12/10 08:52 |
| L20 | 50 | L8 and(generat\$4 or creat\$4)and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D) and(captur\$3 or obtain\$3)and(dual or two or twine)adj image\$1 and(plurality or plural\$1 or multiple or many or sets)same illuminat\$3 and(light adj source or single) | USPAT | OR | ON | 2007/12/10 08:53 |

EAST Search History

| | | | | | | |
|-----|----|--|-------|----|----|------------------|
| L21 | 50 | L20 and(captur\$3 or obtain\$3)and(dual or two or twine)adj image\$1 and(plurality or plural\$1 or multiple or many or sets)same illuminat\$3 and(light adj source or single) | USPAT | OR | ON | 2007/12/10 08:53 |
| L23 | 1 | L21 and comput\$3 adj(pair or plurality or plural\$1 or multiple)and(pixel\$1 and pixels)and image\$1 and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D) | USPAT | OR | ON | 2007/12/10 08:53 |
| L24 | 1 | L23 and different adj image\$1 and(dual or two or twine)and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D)and(pixel\$1 or values) | USPAT | OR | ON | 2007/12/10 08:54 |
| L25 | 0 | L24 and(@ad<"20020920" or @rlad<"20020920" or @prad<"20020920" or @ptad<"20020920") | USPAT | OR | ON | 2007/12/10 08:56 |
| L26 | 8 | L9 and(generat\$4 or creat\$4)and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D) and(captur\$3 or obtain\$3)and(dual or two or twine)adj image\$1 and(plurality or plural\$1 or multiple or many or sets)same illuminat\$3 and(light adj source or single) | USPAT | OR | ON | 2007/12/10 08:54 |
| L27 | 8 | L26 and(captur\$3 or obtain\$3)and(dual or two or twine)adj image\$1 and(plurality or plural\$1 or multiple or many or sets)same illuminat\$3 and(light adj source or single) | USPAT | OR | ON | 2007/12/10 08:54 |
| L28 | 0 | L27 and comput\$3 adj(pair or plurality or plural\$1 or multiple)and(pixel\$1 and pixels)and image\$1 and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D) | USPAT | OR | ON | 2007/12/10 08:55 |

EAST Search History

| | | | | | | |
|-----|---|---|-------|----|----|------------------|
| L29 | 1 | L27 and different adj image\$1 and(dual or two or twine)and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D)and(pixel\$1 or values) | USPAT | OR | ON | 2007/12/10 08:55 |
| L30 | 1 | L10 and(generat\$4 or creat\$4)and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D) and(captur\$3 or obtain\$3)and(dual or two or twine)adj image\$1 and(plurality or plural\$1 or multiple or many or sets)same illuminat\$3 and(light adj source or single) | USPAT | OR | ON | 2007/12/10 08:56 |
| L31 | 1 | L30 and(captur\$3 or obtain\$3)and(dual or two or twine)adj image\$1 and(plurality or plural\$1 or multiple or many or sets)same illuminat\$3 and(light adj source or single) | USPAT | OR | ON | 2007/12/10 08:57 |
| L32 | 0 | L31 and comput\$3 adj(pair or plurality or plural\$1 or multiple)and(pixel\$1 and pixels)and image\$1 and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D) | USPAT | OR | ON | 2007/12/10 08:56 |
| L33 | 1 | L31 and different adj image\$1 and(dual or two or twine)and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D)and(pixel\$1 or values) | USPAT | OR | ON | 2007/12/10 08:56 |
| L34 | 1 | L33 and(@ad<"20020920" or @rlad<"20020920" or @prad<"20020920" or ptad<"20020920") | USPAT | OR | ON | 2007/12/10 09:04 |
| L35 | 1 | L11 and(generat\$4 or creat\$4)and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D) and(captur\$3 or obtain\$3)and(dual or two or twine)adj image\$1 and(plurality or plural\$1 or multiple or many or sets)same illuminat\$3 and(light adj source or single) | USPAT | OR | ON | 2007/12/10 08:57 |

EAST Search History

| | | | | | | |
|-----|---|---|-------|----|----|------------------|
| L36 | 1 | L35 and(captur\$3 or obtain\$3)and(dual or two or twine)adj image\$1 and(plurality or plural\$1 or multiple or many or sets)same illuminat\$3 and(light adj source or single) | USPAT | OR | ON | 2007/12/10 08:57 |
| L37 | 0 | L36 and comput\$3 adj(pair or plurality or plural\$1 or multiple)and(pixel\$1 and pixels)and image\$1 and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D) | USPAT | OR | ON | 2007/12/10 08:57 |
| L38 | 0 | L36 and different adj image\$1 and(dual or two or twine)and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D)and(pixel\$1 or values) | USPAT | OR | ON | 2007/12/10 09:04 |
| L39 | 4 | L12 and(generat\$4 or creat\$4)and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D) and(captur\$3 or obtain\$3)and(dual or two or twine)adj image\$1 and(plurality or plural\$1 or multiple or many or sets)same illuminat\$3 and(light adj source or single) | USPAT | OR | ON | 2007/12/10 08:58 |
| L40 | 0 | L39 and comput\$3 adj(pair or plurality or plural\$1 or multiple)and(pixel\$1 and pixels)and image\$1 and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D) | USPAT | OR | ON | 2007/12/10 08:57 |
| L41 | 4 | L39 and(captur\$3 or obtain\$3)and(dual or two or twine)adj image\$1 and(plurality or plural\$1 or multiple or many or sets)same illuminat\$3 and(light adj source or single) | USPAT | OR | ON | 2007/12/10 08:57 |
| L42 | 2 | L41 and different adj image\$1 and(dual or two or twine)and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D)and(pixel\$1 or values) | USPAT | OR | ON | 2007/12/10 09:00 |

EAST Search History

| | | | | | | |
|-----|----|--|----------|----|----|------------------|
| L43 | 2 | L42 and(@ad<"20020920" or @rlad<"20020920" or @prad<"20020920" or ptad<"20020920") | USPAT | OR | ON | 2007/12/10 08:58 |
| L44 | 0 | L13 and(generat\$4 or creat\$4)and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D) and(captur\$3 or obtain\$3)and(dual or two or twine)adj image\$1 and(plurality or plural\$1 or multiple or many or sets)same illuminat\$3 and(light adj source or single) | USPAT | OR | ON | 2007/12/10 08:58 |
| L45 | 15 | (generat\$4 or creat\$4)and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D) and(captur\$3 or obtain\$3)and(dual or two or twine)adj image\$1 and(plurality or plural\$1 or multiple or many or sets)and (illuminat\$3 or light adj source or single adj light) and comput\$3 adj(pair or plurality or plural\$1 or multiple)and(pixel\$1 and pixels)and image\$1 and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D)and different adj image\$1 and(dual or two or twine)and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D)and(pixel\$1 or values).CLM. | US-PGPUB | OR | ON | 2007/12/10 09:06 |
| L46 | 15 | L45 and different adj image\$1 and(dual or two or twine)and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D)and(pixel\$1 or values) | US-PGPUB | OR | ON | 2007/12/10 09:04 |
| L47 | 15 | L46 and(@ad<"20020920" or @rlad<"20020920" or @prad<"20020920" or ptad<"20020920") | US-PGPUB | OR | ON | 2007/12/10 09:05 |

EAST Search History

| | | | | | | |
|-----|---|--|----------|----|----|------------------|
| L48 | 0 | ((generat\$4 or creat\$4)and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D) and(captur\$3 or obtain\$3)and(dual or two or twine)adj image\$1 and(plurality or plural\$1 or multiple or many or sets)and (illuminat\$3 or light adj source or single adj light) and comput\$3 adj(pair or plurality or plural\$1 or multiple)and(pixel\$1 and pixels)and image\$1 and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D)and different adj image\$1 and(dual or two or twine)and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D)and(pixel\$1 or values)).CLM. | US-PGPUB | OR | ON | 2007/12/10 09:06 |
|-----|---|--|----------|----|----|------------------|



Welcome United States Patent and Trademark Office

Search Session History

BROWSESEARCHIEEE XPLORE GUIDESUPPORT

Mon, 10 Dec 2007, 9:22:02 AM EST

Edit an existing query or compose a new query in the Search Query Display.

Search Query Display

Run Search

Reset

- Select a search number (#) to:
- Add a query to the Search Query Display
 - Combine search queries using AND, OR, or NOT
 - Delete a search
 - Run a search

| Recent Search Queries | | | Results |
|-----------------------|---|--|---------|
| #1 | (((generat* or creat*)<paragraph>(depth or height or pseudo <paragraph>image* or 3-d or three dimensional\$1 or 3d)<near/2> (plurality or plural*)<paragraph>illuminat\$3)<in>metadata) | | 0 |
| #2 | (((generat* or creat*)<paragraph>(depth or height or pseudo <paragraph>image* or 3-d or three dimensional\$1 or 3d)<near/2> (plurality or plural*)<paragraph>illuminat\$3)<in>metadata) | | 0 |
| #3 | (((generat* or creat*)<paragraph>(depth or height or pseudoimage* or 3-d or three dimensional\$1 or 3d) <paragraph> captur*<near/2>(plurality or plural*)<paragraph> image* <near/2> different<paragraph> illuminat\$3)<in>metadata) | | 0 |
| #4 | (((generat* or creat*)<paragraph>(depth or height or pseudoimage* or 3-d or three dimensional\$1 or 3d))<in>metadata) | | 10029 |
| #5 | ((4 and captur*<near/2>(plurality or plural*)<paragraph> image* <near/2> different<paragraph>illuminat\$3)<in>metadata) | | 0 |
| #6 | ((captur*<near/2>(plurality or plural*)<paragraph> image* <near/2> different<paragraph>illuminat\$3)<in>metadata) | | 0 |
| #7 | ((4 and captur*<near/2>image* <paragraph> (plurality or plural*)<near/2> different <paragraph> illuminat\$3)<in>metadata) | | 0 |

Clear Session History

